

CONTENTS

Abstract	4
Table of Contents	7
List of Figures	11
List of Tables	31
1 Introduction	33
1.1 Starbursts	33
1.2 The significance of super-star clusters	36
1.2.1 Evolutionary synthesis models	38
1.2.2 Consequences of SSCs	39
1.3 Galaxy outflows and superwinds	39
1.3.1 Emission line ratio plots	43
1.3.2 Galactic wind models	46
1.3.3 Cosmological implications	53
1.4 Integral Field Spectroscopy	56
1.4.1 Integral Field Units (IFUs)	57
1.4.2 Interpretation and visualisation	60
1.5 Structure of this thesis	61
2 Introduction to M82	62
2.1 Overview of the galaxy, the starburst and the superwind	62
2.1.1 The starburst	62

2.1.2	The superwind	65
2.2	Space-based observations of M82	70
2.2.1	Spectroscopic data	70
2.2.2	Images of the star-cluster M82-A1	74
2.3	Ground-based observations of M82 with WIYN	75
2.3.1	Mini-Mos observations	75
2.3.2	DensePak observations	77
2.3.3	SparsePak observations	81
3	HST/STIS optical spectroscopy of the starburst core of M82	84
3.1	The super star cluster M82-A1	84
3.1.1	M82-A1 imaging measurements	84
3.1.2	Cluster M82-A1 results	88
3.2	Discussion	95
3.2.1	M82-A1 and the evolution of the M82 starburst	95
3.2.2	The M82-A1 H II region	96
3.3	The interstellar environment in the nucleus of M82	97
3.3.1	Description of the two-dimensional spectra	99
3.3.2	Line profile fitting	99
3.3.3	Results	103
3.4	Discussion	114
3.4.1	The state of the ionized ISM	114
3.4.2	The rotation curve and the bar	118
3.4.3	Implications for the production of the galactic wind	123
3.5	Summary	128
3.5.1	M82-A1	128
3.5.2	The interstellar environment in M82	129
4	The M82 superwind	132
4.1	Morphology of the wind outflow	132
4.1.1	Large-scale morphology	134
4.1.2	The link between the large- and small-scale	135
4.1.3	Comparison to other wavebands	140
4.1.4	Comparison to superwind models	149

4.2	Integral field spectroscopy of the wind	153
4.2.1	DensePak observations of the wind roots	153
4.2.2	SparsePak observations of the northern wind plume	168
5	Introduction to NCG 1569	175
5.1	The starburst in NCG 1569	175
5.2	Gemini GMOS/IFU observations of NGC 1569	182
5.2.1	Observations	182
5.2.2	Data reduction	185
5.2.3	Flux calibration	186
5.2.4	Differential atmospheric refraction (DAR) correction	187
5.2.5	<i>HST</i> images	189
5.3	SparsePak observations of NGC 1569	189
6	Emission-line fitting and visualisation	191
6.1	Emission line fitting	191
6.1.1	Peak ANalysis (PAN)	192
6.1.2	How well can we fit each component?	196
6.1.3	Visualisation of the data products	199
7	Mapping the roots of the galactic wind in NGC 1569 – I	200
7.1	Cluster 10	202
7.1.1	Cluster spectrum	205
7.2	Properties of the ionized gas	208
7.2.1	Decomposing the line profiles	209
7.2.2	How well can we fit each component?	212
7.2.3	Visualisation of the data products	212
7.3	Emission line maps	213
7.3.1	$H\alpha$ maps	213
7.3.2	Flux ratio maps	217
7.4	Interpretations and discussion	221
7.4.1	Cluster 10	221
7.4.2	Ionized gas	222
7.5	Summary	231

8 Mapping the roots of the galactic wind in NGC 1569 – II	234
8.1 The environment of the inner-wind	234
8.1.1 Expected features	237
8.1.2 GMOS Position 1	238
8.1.3 GMOS Position 3	243
8.1.4 GMOS Position 4	249
8.1.5 The state of the ISM	255
8.1.6 Summary	261
8.2 The environment of the outer-wind	263
8.2.1 Line fitting	265
8.2.2 Emission line maps	267
8.2.3 Summary and discussion	275
8.3 Links between the small- and large-scales	280
9 Discussion and conclusions	283
9.1 Main themes	284
9.1.1 Star clusters as the driving sources of galactic winds	284
9.1.2 Characterising the state of ionized ISM in starburst regions	285
9.1.3 Characterising the small- and large-scale wind morphologies	287
9.2 Technical remarks	289
9.3 Future work	289
9.3.1 Observations	290
9.3.2 Modelling	294
Bibliography	295
Acknowledgements	310